## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (Original) A coating composition formed from components comprising:
- (a) at least one hydroxyl functional non-vinyl material comprising at least one alcoholic hydroxyl group blocked with a hydrolyzable silyl group; and
- (b) at least one curing agent reactive with the alcoholic hydroxyl group of the at least one hydroxyl functional non-vinyl material (a).

Claims 2-64 - CANCELED

- 65. (Original) A coated substrate comprising a substrate and a composition according to claim 1 deposited over at least a portion of the substrate.
- 66. (Original) A method for forming a cured coating on a substrate comprising applying over at least a portion of the substrate a coating composition according to claim 1.
- 67. (Original) A method according to claim 66, wherein the substrate is an automotive substrate.
- 68. (Original) A coated automobile substrate comprising an automobile substrate and a composition according to claim 1 deposited over at least a portion of the automobile substrate.
- 69. (Original) A coated automobile substrate according to claim 68, wherein the automobile substrate is a bumper.
- 70. (Original) A coated automobile substrate according to claim 68, wherein the automobile substrate is a hood.

FINNEGAN HENDERSON FARABOW GARRETT & DUNNERLL

- 71. (Original) A coated automobile substrate according to claim 68, wherein the automobile substrate is a door.
- 72. (Original) A coated automobile substrate according to claim 68, wherein the automobile substrate is a fender.
- 73. (Original) A multi-component composite coating composition comprising a basecoat deposited from a pigmented coating composition, and a composition according to claim 1 applied over at least a portion of the basecoat.
- 74. (Original) A multi-component composite according to claim 73, wherein the composition is a topcoat.
- 75. (Original) A multi-component composite according to claim 73, wherein the composition is transparent after curing.
  - 76. (Original) A method for making a multi-component composite comprising:
  - (a) applying a pigmented composition to a substrate to form a basecoat;
- (b) applying a topcoating composition according to claim 1 over at least a portion of the basecoat; and
  - (c) curing the topcoating composition to form a cured coating.
  - 77. (Original) A coating composition formed from components comprising:
- (a) at least one hydroxyl functional material comprising at least one hydroxyl group blocked with a hydrolyzable silyl group, the hydroxyl functional material having a polydispersity of less than 2; and
- (b) at least one curing agent reactive with the at least one hydroxyl group of(a).

FINNEGAN HENDERSON FARABOW GARRETT & DUNNERLL

- 78. (Original) A coating composition according to claim 77, wherein the hydroxyl functional material having a polydispersity of less than 1.5.
- 79. (Original) A coating composition according to claim 78, wherein the hydroxyl functional material having a polydispersity of less than 1.2.
  - 80. (Original) A coating composition formed from components comprising:
- (a) at least one hydroxyl functional material comprising at least one hydroxyl group blocked with a hydrolyzable silyl group, the hydroxyl functional material having less than 5 hydroxyl functional groups; and
- (b) at least one curing agent reactive with the at least one hydroxyl group of(a).
  - 81. (Original) A coating composition formed from components comprising:
- (a) at least one hydroxyl functional material comprising at least one hydroxyl group blocked with a hydrolyzable silyl group; and
- (b) at least 10 weight percent on a basis of total resin solids of the components which form the coating composition of at least one curing agent reactive with the at least one hydroxyl group of (a).
  - 82. (Original) A coating composition formed from components comprising:
- (a) at least one carbamate functional material comprising at least one carbamate group blocked with a hydrolyzable silyl group; and
- (b) at least one curing agent reactive with the at least one carbamate group of(a).
  - 83. (Original) A coating composition formed from components comprising:

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP

- (a) at least one carboxyl functional non-vinyl material comprising at least one carboxyl group blocked with a hydrolyzable silyl group; and
- (b) at least one curing agent reactive with the at least one carboxyl group of(a).
  - 84. CANCELED

FINNEGAN HENDERSON FARABOW GARRETT & DUNNER LLP